

# wFirewall 10GbE Models

Mid-Range

Next Generation Firewall  
Internal Segmentation Firewall



The wFirewall 10GbE Models delivers threat prevention capabilities for medium to large enterprises. It is a physical firewall appliance with flexibility to be deployed as internet core and/or internal segmentation. Protect against cyber threats with single pass scanning technology enables high performance and security efficiency.

## Security

- Stateful Firewall
- Virtual Private Network
- Filtering Caching Proxy
- Inline Intrusion Prevention
- Captive Portal
- Support Let's Encrypt Certificates

## Networking

- Multiple WAN links load balancing
- TCP/HTTP Load Balancer
- Full Mesh VPN Routing
- Traffic Shaper
- Netflow Exported
- Network Flow Monitoring

## Performance

- 20 Gbps Firewall Throughput
- 20 Gbps Thread Prevention Throughput
- 20 Gbps SSL Inspection Throughput
- 5M Maximum Concurrent Sessions
- 1M New Sessions Per Second
- Single Pass Scanning

## Management

- High Availability
- Configuration Backup to Google Drive
- Easy to use Web Interface
- Two-factor Authentication (2FA)
- Build-in Reporting
- REST API Support

Firewall	Thread Prevention	Concurrent Sessions	Interfaces
<b>20 Gbps</b>	<b>20 Gbps</b>	<b>5M</b>	6x 1GbE Copper, 2x 10GbE SFP+, 2x USB and RJ45 Console

Refer to specifications for details

## Specifications

wFirewall 10GbE: WFW-10GBE-RM2		wFirewall 10GbE: WFW-10GBE-RM2	
<b>Interfaces and Modules</b>		<b>Dimension and Power</b>	
1GbE Copper	6	Form Factor	1U
1GbE Fibre	0	Wall Mountable	No
10GbE SPF+	2	AC Power Supply	100-240V AC, 50-60 Hz
40GbE QSPF+	0	Power Consumption	Average 130W
RJ45 Serial	1	Current (Max)	110V/7A, 220V/3.5A
USB	2	Heat Dissipation	700 BTU/h
Storage	120GB	Redundant Power Supply	Not Supported
<b>System Performance and Capacity</b>		<b>Operating Environment</b>	
IPv4 Firewall Throughput (1518 / 64 bytes, TCP)	20 / 20 Gbps	Operating Temperature	0 - 40 °C (32 - 104°F)
IPv6 Firewall Throughput (1518 / 64 bytes, TCP)	20 / 20 Gbps	Storage Temperature	-35 - 70 °C (-31 - 158°F)
Thread Prevention	20 Gbps	Humidity	10-90% non-condensing
Concurrent Session	5 Million	Noise Level	70 dBA
New Sessions Per Second	1 Million	Operating Altitude	Up to 2,250 m (7,400 ft)
IPsec VPN Throughput	20 Gbps		
Max IPsec Tunnels	100,000		
SSL Inspection Throughput	20 Gbps		

## Ordering Information

Product	SKU	Description
wFirewall 10GbE Rack Mount	WFW-10GBE-RM-2	wFirewall 10GbE Series Rack Mount 2-port
wFirewall 10GbE Threat Prevention 1 yr	WFW-10GBE-TPS-1Y	wFirewall 10GbE Threat Prevention for 1 yr
wFirewall 10GbE Threat Prevention 3 yrs	WFW-10GBE-TPS-3Y	wFirewall 10GbE Threat Prevention for 3 yrs
wFirewall 10GbE Hardware Swapping 1 yr	WFW-10GBE-SWP-1Y	wFirewall 10GbE Swapping Service for 1 yr
wFirewall 10GbE Hardware Swapping 3 yrs	WFW-10GBE-SWP-3Y	wFirewall 10GbE Swapping Service for 3 yrs

**W**Professional      Hong Kong Head Quarter

C11, 13/F.  
Wing Hing Industrial Building  
14 Hing Yip Street  
Kwun Tong  
Kowloon  
Hong Kong

*Copyright© 2018 W Professional Services Limited. All rights reserved. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by W Professional Services Limited, and W Professional Services Limited disclaims all warranties, whether express or implied, except to the extent W Professional Services Limited enters a binding written contract, signed by W Professional Services Limited's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on W Professional Services Limited. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in W Professional Services Limited internal lab tests. In no event does W Professional Services Limited make any commitment related to future deliverables, features or development, and circumstances may change such that any forward-looking statements herein are not accurate. W Professional Services Limited disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. W Professional Services Limited reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.*